

• STEALTH SPORT.


A SPORTY, DURABLE FUN FLYER...

- GWS "A" MOTOR - 8/270 NIMH
- MICRO SERVOS & RECIEVER USED
- WINGSPAN - 34 1/4" AREA 294 SQ. IN.
- WEIGHT 6 1/2 OZ. 8x6 PROP
- WING LOADING 3.18 OZ/FT.²

Don P. Weber ©2002


• FIN - BLUE FOAM •

• USE FOAM FRIENDLY ADHESIVES •



HEALTH

SPO



M.

• COVER WITH
CLEAR PACKAGE

• STRAPPING TAPE
ON BOTTOM.

• 1/2 OF WING SHOW
• ALL PARTS 3/16"-1/4" DE
BLUE "FANFOLD" INSULA
OR "STURDYBOARD".

• ALL RADIO EQPT. MOUNTS ON TOP OF WING - EXCEPT BATTERY.

PORT

© 2002

• COVER WING LE. WITH
• TAPE SEALING TAPE.

• TAPE
• TOM →


• SHOWN •
• 1/4" DEPRON
• INSULATION
• BOARD.

OR

DECORATIVE AILERON OUTLINE

• REFLEX WING AT TIP.

3/8"



• CANOPY •
(OPTIONAL)

CUT OUT
FOR RX.

GWS "A" MOTOR
8" x 6" PROCP

• 1/2 S

ESC

RX

2° DOWNTHRUST

FUSELAGE

BATTERY

- FUSELAGE 1/4" BA
- TAPER FROM 3/4"
- MOTOR STICK 1/8" x 1/8"

* IMPORTANT - U
ON BOT

• 1/8" Balsa "BO

BEND SLIGHT AIRFOIL IN L.E. OF V

• 1/2 SIZE SIDE VIEW •

1/8" Balsa

1/4" Balsa - 24" LONG.

1 3/4" FRONT to 1/4" REAR.

1/8" x 1/4" SPRUCE • 2° DOWNTHRUST 2° RIGHT THRUST •

PAPER CLIP PUSH

WING - USE 2 FULL SPANS OF 3/4" STRAPPING TAPE
BOTTOM OF WING

"BOMB (BATTERY) RACK ON BOTTOM."

CG

